

APPENDIX E - Gear Inspection Review Document 2020

The following recommendations from the Lifesaving Committee were tabled for discussion and adopted at July 2020 LSEC Meeting.

1. Severe Bleeding /Trauma Kits

a. SurfGuard version to me made obsolete and adopt the SLSS version as the Standard

2. First Aid Kits

- a. (3) Resus Fac Mask required per kit in light of COVID environment
- b. Disposable gloves to be standardised to just that "Disposable Nitrile Examination Gloves".
- c. Non-Adherent wound dressing / pad to be standardised to "at least 10 of varying sizes"

3. First Aid Room

- a. OP Airway sizes to allow for varying colours
- b. Non-Adherent wound dressing / pad to be standardised to "at least 10 of varying sizes"
- c. Disposable gloves to be standardised to just that "Disposable Nitrile Examination Gloves".
- d. "Adult and child Resuscitation mask
- e. Resuscitation Chart showing checks. DRABCD Chart
- f. Stock of Surgical Masks

4. Oxy-viva

a. Inspection Checklist acceptable for soft, hard or Inhalo kits, depending on what the club uses for patrols

5. Radios

- a. 2 waterproof bags required for radios
- b. Minimum of 4 Radios required

6. Suction Equipment

a. Large catheters only required

7. Spinal Equipment to be removed

8. Training Manikin

- a. Spare faces
- b. Any approved cleaning wipes required to clean manikins
- c. Spare Lung Bags

9. IRB

- a. Motors required to be started and run
- b. Remove Compliance Plates from Checklist

10. Patrol Equipment

- a. Four (4) handheld radios in (2) waterproof bags (unless radios are waterproof
- b. Whistle to be a personal item
- c. Revise one (1) First Aid Bum Bag to three (3) due to COVID
- d. Remove listing "1 x pair of Signal Flags" as this duplicates "2 x Signal Flags (orange with Blue Stripe)
- e. Loud Hailer / PA required
- f. SLSNSW SOP required at club
- g. POM hard copy required for Patrol
- h. E-PC Flipbook acceptable if can be shown to be downloaded on phone / tablet
- i. Patrol Log Books still required

Dated: 14 July 2020