

Sydney Branch Gear Inspection Guidelines 2015/2016 V2

<u>Version Summary</u> 2015-2016 issued 27/7/2015, V2 updated 7/8/2015

These guidelines are designed for Clubs and Support Services to assist with the efficient and effective inspection and assessment of all surf lifesaving equipment.

Equipment that is to be inspected must meet the requirements set out in the document supplied by Surfguard.

Important Notes for Clubs:

- The Club Gear steward or a club Representative must be available to the Sydney Branch gear inspectors if required to answer any questions regarding any equipment being inspected. Clubs should have a minimum of 2 members, and their gear steward assisting on the day.
- All equipment that is inspected MUST be entered in to Surfguard, this includes all Junior activities rescue equipment (Tubes, Boards and other) as well.
- Points will be deducted for equipment presented and not displayed on sheets or equipment on sheets not being presented.
- Equipment will be assessed as outlined in this document
- Equipment presented must be endorsed by SLSA and MUST follow requirements set in SLSNSW Standard Operational Procedures.
- All entries to Surfguard must be completed by the set date by the Director of Lifesaving or nominated Coordinator.

Equipment Grading

All items will be graded and if passed, SLSNSW Gear Inspection Stickers will be issued by the Sydney Branch Gear Inspectors.

P = Pass Suitable to use for patrol activities

F = Fair Item requires maintenance before use (Re-inspection Sticker and isolated until repaired)

R = Re-inspect Major repairs required **or** was not ready for inspection (Re-inspection Sticker and isolated until repaired)

D = **Discard** Item is beyond repair – discard and **never use again** (label and isolate until discarded)

Refer to individual SLSA policies and specifications for further equipment information - www.sls.com.au These inspection requirements are for patrol equipment only (safety and operational inspections). The items may be required to meet further competition scrutineering requirements for surf sports purposes.

Surf Life Saving Gear and Equipment Inspections do not replace an authorised RMS inspection and registration excluding maritime exempt equipment (IRB and RWC)

The Gear and Equipment Inspection process

A. Updated Gear and Equipment Information in Surfguard

Clubs are to update their gear and equipment into **Surfguard**, in advance of an inspection. This should include deleting any sold or discarded equipment and adding any new equipment. This should be updated over the course of the season as equipment changes.

B. Branches Inspection Dates

The Sydney Branch gear inspection dates are **29**th **and 30**th **August 2015**. Please see appendix A for the Sydney Branch Gear Inspection time table.

C. Current Gear and Equipment Printouts

Sydney Branch will print (2 Copies) of the pre-filled gear and equipment list from Surfguard for each club (previously updated by the club) plus additional 'state' forms. The inspection team must have these on the day of inspection.

D. Branch Inspection Panel

The Branch appointed 'Gear Inspectors' will complete all inspections. The Gear Inspectors will provide the club with a copy of the completed inspection paper work (on the day). All gear that passes inspection will be recorded and issued with a SLSNSW Gear Inspection Sticker (Note: It is accepted that it is not practical to 'sticker' some items of equipment where the sticker would not adhere, i.e. rescue tube etc.) Only equipment inspected and passed and updated on Surfguard can be used on patrol.

E. Challenge of Assessed equipment by Inspection Panel members and Club

Decision will be final on the day by Director of Lifesaving and /or their appointed representative on the day.

F. Re-Inspections

Any Gear or Equipment that does not pass the inspection process must be immediately removed from service and have a faulty equipment sticker applied. Clubs shall repair/isolate or discard as necessary. Any re-inspects are to be completed within 14 days of Inspection.

G. Supporting Documentation

Click here for the following gear and equipment resources:

<u>Surf Rescue Lifejacket Supplier List</u> - (Updated March 2014)

http://sls.com.au/sites/sls.com.au/files/circular-66-13-14-surf-rescue-lifejacket-supplier-list.pdf

SLSA Approved Gear and Equipment Manual - (Updated April 2015)

http://sls.com.au/sites/sls.com.au/files/Gear%20and%20Equipment%20Manual.pdf

SLSA Gear and Equipment Specifications - (Updated July 2014)

https://sls.com.au/sites/sls.com.au/files/Lifesaving%20Gear%20and%20Equipment%20Specifications_1.pdf

SLSA Equipment and Uniform Branding - (Updated June 2014)

https://sls.com.au/sites/sls.com.au/files/SLSA%20Equipment%20Branding%20Guidelines_LR _090813.pdf

IRB Outboard Motor Sealing Process - (Updated June 2014)

https://sls.com.au/sites/sls.com.au/files/Motor%20Sealing%20Procedure.pdf


H. Supporting Documentation

Click here for the following gear and equipment resources:

- I. Beach Vehicles / ATVs
- II. Rescue Boards
- III. Rescue Tubes
- IV. Defibrillators including training units
- V. Oxygen Resuscitation Kits including training units
- VI. First Aid Rooms and Kits
- VII. IRBs / Motors / Trailers
- VIII. Radios
- IX. Patrol Equipment
- X. Spinal Equipment
- XI. Shark Bag/Major Haemorrhage Kit
- XII. Manikins

Data required to be entered into Surf Guard and Inspection lists for Gear Inspection.


1. ATV



INSPECTION CHECKLIST
Registration plate & label (if applicable)
Service log book
Clean and in good working order
Rust/corrosion free
Wheels & tyres in good condition
Tyre pressure equal in all four tyres
Reversing beeper
Flashing light (in working order)
Accessories to secure additional equipment
Board racks/carry racks and tow bar in good working order
Lights, horn and indictors in good working order (if fitted)
Sign writing (surf rescue branding)
Side doors/netting - attached and in good working order
Mirror- Fitted and not damaged
Roll bars/cage - Fitted and structural integrity not damaged
Seat belts or hand grips - Fitted, not damaged and in good working condition
APPROVAL STICKER


2. Defibrillator

Note: Defib Pad Expiry Dates - it is not documented that Pads Expiry Dates are to extend the full length of season, due to cost this should not be required. Clubs and Inspection regularly inspect AED equipment. Confirmed by SLSNSW and advised to Clubs 7/8/2015.




INS	PECTION CHECKLIST
	tons Labelled
No	Sand/Corrosion
Pad	ls (in date and sealed)
Bat	tery Condition
Car	ry Case
Spa	re Pads
Med	dical Shears
Raz	or
Res	sus Mask
Vol	ume OK
Nor	n alcohol gauze wipes
Glo	ves
Dis	posable Towels (optional)
Spa	re Battery (optional)
cas	ining defibrilator (and protective e) clearly labelled: "TRAINING E ONLY"
APF	PROVAL STICKER

3. IRB Motors




INSPECTION CHECKLIST
No obvious motor modifications
Motor seals are intact
Restrictor device in place
Rust/Corrosion Free
Tilt-Lock Removed or Disabled
Mechanism to prevent motor from starting in gear removed (not required for ETEC models)
Condition of hoses and wiring
Loose or Missing Bolts
Fuel Filter Clean
Choke/Primer Functions
Smooth/Full Throttle Action (in gear engine not running)
Motor Cover and Clip
Propeller Blades (4 blade only)
Propeller Guard (is securely fixed)
Clamp Threads and Handles
Clamp Brackets
Tilt Bracket and Fixings
Swivel Brackets and Fixings
Starter Cord and Recoil
Motor Actually Runs and Idles
Gear Shift (F, R, N)
Gear Lever
Stop Button/s
No Major Defects
Motor Numbered
APPROVAL STICKER

4. Life Jackets



INSPECTION CHECKLIST
Lifejacket is certified to the ISO or Australian Standard(Personal Flotation device)
Lifejacket does not have any rips/tears/exposed foam
Lifejacket is a conspicuous colour and not faded
Zip is not corroded or stuck allowing user to fit lifejacket correctly (if applicable)
Buckles or clips are not damaged and functional allowing user to fit lifejacket correctly
Any webbing or belts are not damaged and allow user to fit lifejacket correctly
Inflatable Lifejacket is of the manual activation type
Inflatable lifejacket has been maintained & serviced to manufacturers requirements
APPROVAL STICKER

5. Mankin



INSPECTION CHECKLIST
Chest Cover/Spare Mask
Carry Case (optional)
Cleaning Solution (as per SLSA requirements)
Spare Bags
Paper Towels
Tested and Working
Simulator Numbered
APPROVAL STICKER


INSPECTION CHECKLIST

6. Oxygen

	Oxygen Resuscitator	
Oxygen Resuscitator - 1 Oxygen Resuscitator - 2 Oxygen Resuscitator - 3 Oxygen Resuscitator - 4 Oxygen Resuscitator - 5	Name: BSEF Grant: Current Gear Inspection Date: Date of Purchase: Equipment Insured by:: Equipment Insured for:: \$	Oxygen Resuscitator - 1 [] 30/08/2014 01/05/2006
	Gear Inspection Completed by:: Gear Inspection Notes/Comments: Item Description: Last Service on:: Make/Model: Manufacturer: Manufacturer Serial No.: Notes:	T Rouse Yoke Plug Reinspect Soft Pack 09/08/2011
	Price on Purchase: \$ Purchased From:: Resuscitator Make: Resuscitator Model (TYpe): Service Due: Service notes:: Successfully Completed Gear Inspect	2200 Vital Resus Vital Resus Oxy Tube/Boot (Soft Pack) 09/08/2012 ion: [x]

Unit Numbered	
Ventilation Bag	
Reservoir Bag	
Reservoir Valve	
Intake Valve	
Extension Tube (optional)	
Patient Valve	
Resuscitation Tubing	
Therapy Tubing	
Resuscitation Mask Adult	
Resuscitation Mask Child	
Therapy Mask Adult	
Therapy Mask Child	
OP Airways x 2 (adult male and female)	
Key Wheel - Attached	
Yoke Plug - Attached (Stainless st Oxy Viva units only)	eel
Sealing Washer	
Spare Washer (1 - Stored in a container)	
Surgical Gloves (minimum 3 pairs))
Notepad, Pen/Pencil	
Chalk/Marker (to write date on cylinder)	
No Sand in Unit	
No Corrosion in Unit	
No Corrosion on Screws/Nuts	
Spare Oxygen Cylinder (1)	
APPROVAL STICKER	


7. Radios



INSPECTION CHECKLIST
Channels Labelled
No Sand/Corrosion
Aerial
Battery Condition
Carry Case
Waterproof Pouch
Radio Works
Radio Numbered
APPROVAL STICKER


8. Rescue Board

Note: Knee Pads Older Rescue Boards - knee pads are not a minimum requirement of a Rescue Board, if the board did not come with them. Clubs would be expected to maintain the overall condition of rescue board components, however if a club have boards with a knee pad missing or damaged it will be marked as a defective knee pad. Confirmed by SLSNSW and advised to Clubs 7/8/2015.



INSPECTION CHECKLIST
Outer Surface (free of dings, jagged edges etc)
Straps or Ropes
Fin
Markings Top
Markings Bottom
Board Numbered
Knee pads (hard rescue boards)
APPROVAL STICKER
, ,


9. Rescue Tube



INSPECTION CHECKLIST
Tube Condition
Line not Knotted/Frayed
Clip
D Attachment
O Rings
Shoulder Strap
Splices
Tube Numbered
APPROVAL STICKER
· · · · · · · · · · · · · · · · · · ·


10. Spinal Equipment

Note: Spinal Collars - it is required that the Collars/Collar available can fit to all neck sizes. If the adjustable collar available meets this requirement a pass shall be allocated to the 'kit'. Confirmed by SLSNSW and advised to Clubs 7/8/2015.



INSPECTION CHECKLIST
Spinal board
Adjustable Collar
Spinal straps
Paediatric Collar
Regular Collar
No Neck Collar
Set Numbered
APPROVAL STICKER

11. Suction Equipment



INSPECTION CHECKLIST
Vaccum handle/pump
Disposable suction catheters (small and large)
Disposable collection jar/canister
Clean and free of sand
APPROVAL STICKER

12. First Aid Room

FIRST AID ROOM

P = Pass / F = Fair / R = Re-inspect / D = Discard

First Aid Room requirements are as per Standard Operating Procedures

Item	Minimum Number	Quantity	Rating
Clean blankets - cotton or woollen	2		
Shock/Space Blanket	4		
Clean sheets	2		
Clean towels	2		
Contaminated waste disposal bin and waste bags	1 x Bin 5 x Bags		
Contents of first aid kit as outlined above	1 x kit		
Oropharyngealairways	Sizes 0, 1, 2, 3		
Non-adherent dressings	5 x 7.5cm x 10cm 5 x 7.5cm x 20cm 5 x 5cm x 7.5cm		
Electrical power points	Panel of two or four		
Emesis (vomit) containers (disposable or plastic)	1		
Examination couch/bed	1		
Examination lamp	1		
Hand cleaner/hand wash solution + nail brush	1		
loe packs in freezer (or ice machine with bags) or disposable instant packs	5		
Kettle or access to boiling water	1		
Drinking Vessel (Disposable)	10		
Disposable Gloves	100		
Alcohol swabs	100		
Burn Sheet	1 x Small 1 x Large		
Combine dressing (Surgipad)	5 x 9 x 20cm		
Universal/Multi-trauma dressing	2		
Noticeboard showing: - First Aid Charts	1		
Kidney dish	3		
Large bucket/basin for the immersion of feet	1		
Lined rubbish bin for general waste	1		
Lockable fixed storage cabinet to house: - Log book/register - First aid supplies	1		
- Spare oxygen bottles x 2			
Oxygen supply tubing	2 x Spare tubes		
Adult & child non-breather mask	1		
Adult and child acute mask			
Resuscitation Chart	3		

13. First Equipment



Item	Kit contents			
·	Quantity	Kit 1	Kit 2	Kit 3
Instructions for providing first aid – including Cardio- Pulmonary Resuscitation (CPR) flow chart	1			
Note book and pen	1			
Resuscitation face mask or face shield	1			
Disposable nitrile examination gloves	5 pairs			
Gauze pieces 7.5 x 7.5 cm, sterile (3 per pack)	5 packs			
Saline (15 ml)	8			
Wound cleaning wipe (single 1% Cetrimide BP)	10			
Adhesive dressing strips - plastic or fabric (packet of 50)	1			
Splinter probes (single use, disposable)	10			
Tweezers/forceps	1			
Antiseptic liquid/spray (50 ml)	1			
Non-adherent wound dressing/pad 5 x 5 cm (small)	6			
Non-adherent wound dressing/pad 7.5 x 10 cm (medium)	3			
Non-adherent wound dressing/pad 10 x 10 cm (large)	1			
Conforming cotton bandage, 5 cm width	3			
Conforming cotton bandage, 7.5 cm width	3			
Crepe bandage 10 cm (for serious bleeding and pressure application)	1			
Scissors	1			
Non-stretch, hypoallergenic adhesive tape – 2.5 cm wide roll	1			
Safety pins (packet of 6)	1			
BPC wound dressings No. 14, medium	1			
BPC wound dressings No. 15, large	1			
Dressing - Combine Pad 9 x 20 cm	1			
Plastic bags - clip seal	1			
Triangular bandage (calico or cotton minimum width 90 cm)	2			
Emergency rescue blanket (for shock or hypothermia)	1			
Eye pad (single use)	4			
Access to 20 minutes of clean running water or (if this is not available) hydro gel (3.5 gm sachets)	5			
Instant ice pack (e.g. for treatment of soft tissue injuries and some stings).	1			

Note: First Aid Dressing - confirmed with SLSNSW that were would be little difference between a 'low adherent' and 'non adherent' bandage. Either will be acceptable. *Confirmed by SLSNSW and advised to Clubs 7/8/2015.*

14. Patrol Equipment

#	#	#	# Stickers	
F	R	D		

PATROL EQUIPMENT

P = Pass / F = Fair / R = Re-inspect / D = Discard = Compulsory Surfguard Information

INSPECTION CHECKLIST	QTY	P/F/R/D
Patrol Area Flags	2	
Patrol Feathers (Optional)	2	
Signs: Swimming Prohibited Surf Craft Prohibited Surf Rescue Craft Training	1 2 2	
Signal Flags	2	
Patrol Shirts - DHL only Note Club's method of patrol uniform distribution, and extres store		
Patrol Shorts - DHL only		
Patrol Caps		
Whisties Note this is included in burn begs	2 (min)	
Swim Fins (pairs)	2 pair	
Blanket In addition to space blanket (spinal equipment)	1	
Emergency Evacuation Alarm Tested (unless provided by Council)	1	
Emergency Evacuation Flag	1	
Loud Haller/PA System Tested	1	
IRB Safety Signs	2	
Sun Block Cream SPF 30+ - 1 litre for patrol members	2	
Patrol Log (Book) Sample Log to be given to Supervisor	1	
Incident Report Log (Book)	1	
Patrol Shelter/Tent In good working order, with all necessary parts	1	
Tent Pegs (if required)	4/6	
Tent Ropes (If required)	4/6	
Communicable Disease Kit (Patrol Burn Bags) 1 x Resuscitation Pocket Mask with one way valve 3 x pair Surgical gloves 1 x pair Disposable Goggles (as per Branch reqs) 1 x Triangular bandage 1 x Notebook & 1 per/pencil 1 x Whistele	Min 4 or as per Branch reqs.	
Operable Binoculars (7 x 50 or similar)		
SOP / Policy Manual Refer to state requirements		
Spinal Board As per SLSA requirement	1	
Spinal Board Straps Optional as per SLSA requirement	1	
Stretcher Optional as per SLSA requirement	1	
Space Blanket In addition to regular blanket (patrol equipment)	1	

Note: If any of the equipment is provided by the governing authority (e.g. Council) enter "P" for pass.

Note: SOP's were sent by State to Branch last season (14-15), these were then forwarded to all Clubs in the Branch. *Confirmed by SLSNSW and advised to Clubs 7/8/2015.*

15. IRB



IRB Code of Conduct (on Notice Board) Floorboard Out (Class 1 & Class 3) \(/ N \)	7
	1
Pontoon Wear to Underside	
Pontoon Wear at Floorboard Junctio	n
Reflective Tape	Τ
Spray Dodger	Τ
Bow Rope + Handles	_
Bow Rope D Fitting	_
Pontoon Ropes & Eyelets	Ī
Re-right Handles Rope + Pouch. (Length 1400mm - does not foul proj	0)
Carry Handles	
Driver's Boarding Handle	Ī
Crewperson's Boarding Handle	Ī
Fuel Line Loops	Τ
Inflation Valves	_
Transom Plate Wear	Ī
Transom Lip (5mm Square)	
Motor Safety Cable (1/boat)	
Eye Bolts	
Bungs (if applicable)	
Knife & Sheath (square tip for use as a screwdriver)	5
Paddles: Stowage, Condition + Correct Size (1 set/boat)	

15m Tow Rope: Stowage, Splice,
Clip + Float (each end)
Approved Rescue Tube: Stowage
Whistle
Fuel Cell (no leaks, no sharps)
Floorboards (not worn, no
holes/sharps)
Floorboard hinge condition (if
applicable)
Fuel Cell's Fixings
Foot Straps (1xdriver, 1xcrew)
Pressure Gauge (1/boat type)
APPROVAL STICKER

Presentation of Equipment:

1. Patrol Equipment:

- a. Patrol Tents
 - i. Be erected as per being on patrol
 - ii. Correct sponsorship logos displayed and undamaged
 - iii. Cover to be in good condition and undamaged
 - iv. Structure and supports are in good condition and undamaged
 - v. All ropes and pegs are in good condition and undamaged
 - vi. All safety equipment to be implemented and displayed
 - vii. Other




b. Patrol Screens -

- i. Be erected as per being on patrol
- ii. Correct sponsorship logos displayed and undamaged
 - 1. Side screens must display official sponsor currently DHL
 - 2. Rear screen may display Club sponsors as per Sydney Branch branding policy
- iii. Screen material to be in good condition and undamaged
 - 1. No missing eyelets
 - 2. Tears or rips
 - 3. Other where integrity has been breached
- iv. Structure, fixings and supports are in good condition and undamaged
- v. All ropes or ties supporting screens are in good condition and undamaged
- vi. Other

- c. Flags as per list
 - i. Not to be damaged or frayed
 - ii. Not to be excessively faded
 - iii. Not to be dirty, mouldy or covered in marks
- d. Patrol Area Signage as per list
 - i. Not to be damaged
 - ii. Not to be excessively marked or disfigured
 - iii. Not to be dirty, mouldy or unsecured
- e. Patrol Uniforms as per list



- f. Surf NSW Standard Operating Procedures
 - i. Must be accessible and presentable
 - ii. Acknowledged by gear panel as to the location during the season
- g. Club Patrol Operations Manual
 - i. Must be accessible and presentable in the patrol area
 - ii. Must be current as per commence of season
- h. Pocket Books Patrol Guidelines
 - i. Must be accessible and displayed in area
- i. Log Books
 - i. Incident
 - ii. Patrol
 - iii. IRB



2. First Aid:

a. Rooms

- i. Items to be presented on table or bench in order of list to be marked correct
- ii. All items to be in "Use by date till the end of patrol season" preferably the 1st of May as a minimum
- iii. Items are to be operational for use
- iv. Items not displayed as per list will be marked for re-inspection
- v. Items are to be in line with State requirements as a minimum

b. Kits - Portable

- i. Items to be presented on table or bench in order of list to be marked correct
- ii. All items to be in "Use by date till the end of patrol season" preferably the 1st of May as a minimum
- iii. Items are to be operational for use
- iv. Items not displayed as per list will be marked for re-inspection
- v. Items are to be in line with State requirements as a minimum



c. Kits - Patrol Portable "Bum" Bags

- i. Items to be presented on table or bench in order of list to be marked correct
- ii. All items to be in "Use by date till the end of patrol season" preferably the $\mathbf{1}^{\text{st}}$ of May as a minimum
- iii. Items are to be operational for use
- iv. Items not displayed as per list will be marked for re-inspection
- v. Items are to be in line with State requirements as a minimum



Surf Life Saving Sydney Branch Gear Inspection Guidelines 2015-2016 Version 2

d. Kits – Trauma

- i. Items to be presented on table or bench in order of list to be marked correct
- ii. All items to be in "Use by date till the end of patrol season" preferably the 1st of May as a minimum
- iii. Items are to be operational for use
- iv. Items not displayed as per list will be marked for re-inspection
- v. Items are to be in line with State requirements as a minimum

3. Radios:

a. Base Units

- i. Channels are to be in accordance with NSW SLS allocate radio frequencies
- ii. Units are to be able to make contact with all portable units
- iii. Must be operational and in good condition

b. Portable Hand Sets

- i. Channels are to be in accordance with NSW SLS allocate radio frequencies
- ii. Units are to be able to make contact with all portable units
- iii. Must be operational and in good condition
- iv. Water proof coverings are in good condition and operational



Please refer to Appendix B for Radio programming Information

4. Oxygen Units:



Administration – Essential Surfguard information MUST be supplied in full

a. Hard Case:

- i. Meets checklist content requirements
- ii. To be unpacked from unit and laid on a table in order of checklist for verification
- iii. Must be operational for patrol use



Surf Life Saving Sydney Branch Gear Inspection Guidelines 2015-2016 Version 2

b. Soft Case:

- i. Meets checklist content requirements
- ii. To be unpacked from unit and laid on a table in order of checklist for verification
- iii. Must be operational for patrol use

c. Training:

- i. Meets checklist content requirements
- ii. To be unpacked from unit and laid on a table in order of checklist for verification
- iii. Must be operational and marked "Training Only"

d. Suction:

- i. Meets checklist content requirements
- ii. To be unpacked from unit and laid on a table in order of checklist for verification
- iii. Must be operational for patrol use
- iv. Training units to be marked "Training Only"



5. Automatic External Defibrillator (AED's):

- a. Patrol
 - i. Administration Essential Surfguard information MUST be supplied in full
 - ii. Contents to be displayed in order as per document
- b. Training (Unit is to have all components in the training unit as required in a patrol unit)
 - i. Administration Essential Surfguard information MUST be supplied in full
 - ii. Contents to be displayed in order as per document
 - iii. Training unit and carry case to be clearly marked "Training Only"



6. Manikins:

- a. Adult
 - i. Units to be clean,
 - ii. Chest covers to be free from dirt and marks
 - iii. Chest to ensure compression depth identifier operating
 - iv. Sterile face to be attached to unit for inflation check
- b. Child
 - i. Units to be clean,
 - ii. Chest covers to be free from dirt and marks
 - iii. Chest to ensure compression depth identifier operating
 - iv. Sterile face to be attached to unit for inflation check
- c. Infant
 - i. Units to be clean,
 - ii. Chest covers to be free from dirt and marks
 - iii. Chest to ensure compression depth identifier operating
 - iv. Sterile face to be attached to unit for inflation check
- d. Defib
 - i. Units to be clean,
 - ii. Chest covers to be free from dirt and marks
 - iii. Chest to ensure compression depth identifier operating
 - iv. Sterile face to be attached to unit for inflation check
 - v. Metal tape strip to be in good condition or similar unit to be operational




7. Spinal:

All equipment must be endorsed SLSA equipment

- a. Boards
 - i. Essential Surfguard information MUST be supplied in full
 - ii. To be clearly marked
 - iii. To be structurally sound
 - iv. Must have straps to accompany board
- b. Straps
 - i. Essential Surfguard information MUST be supplied in full
 - ii. To be clearly marked
 - iii. To be structurally sound
 - iv. To be laid out for inspection
 - v. To be in a numbered carry bag
- c. Collars
 - i. Essential Surfguard information MUST be supplied in full
 - ii. Sets To be clearly marked
 - 1. One of all size collars should be marked into sets for patrol or training as a minimum.
 - 2. Neck collars "should" be presented as a kit
 - 3. Collars are to be presented flat NOT fixed
 - 4. Any faults and items will be marked "Discard" and disposed of.
 - iii. Spares -
 - 1. To be entered as individual or presented in packs/kits



Present similar to this!



DO NOT PRESENT LIKE THIS!



DO NOT PRESENT LIKE THIS!

8. Rescue Tubes:

- a. Essential Surfguard information MUST be supplied in full
- b. All tubes should be labeled with the Club name and numbered for easy identification
- **c.** Items to be laid and displayed for inspection
- **d.** Any faults and items will be marked "Discard"






e. What the inspector looks for:

- I. No Cuts or major damage to the tube
- II. Stitching on webbing should be intact and strong. Tubes with pink webbing may need to be discarded as its strength has been reduced
- III. Holes around the eyelet of the halyard or frayed edges of the webbing or halyard warrants the tube being discarded.
- IV. Lines should not have knots in them.
- V. Frayed webbing needs to be replaced or the tube discarded.
- VI. Line attachment to the tube and halyard must be spliced as per the picture below.
- VII. Distance between the tw0 rings should be 200mm
- VIII. Clips must close automatically when opened.

Example of tube lines and webbing that need repair. These would not pass.



9. Rescue Boards:

- a. Essential Surfguard information MUST be supplied in full
- **b.** Items clearly numbered and displayed
- c. Items to be laid and displayed for inspection
- **d.** Must be free of all dings and broken Fibreglass. Repairs must be painted regulation yellow.
- e. Pads must be firmly attached
- f. Hand grips must not be broken, frayed or loose
- **g.** Metal Screw heads (on straps) should not be exposed unless as per manufacturers specification.
- **h.** Surf Rescue signage should be visible and complete per SLSA specification. It should not be damaged (e.g. missing letters) or substantially faded.
- i. Must meet all check list requirements



PRESENT LIKE THIS!



NOT LIKE THIS! Trip hazard, not sequential, confined space

10. IRB's:

Items inspected are listed below, but are not limited to Hulls, Ropes, Pontoons, Floor, Floor Boards, Transom, Ropes and Fuel / Fuel Storage. Items need to be presented clean and in one area. The Gear inspection team are not there to setup or assist to get equipment out of storage.

Note:

IRB's are to be inflated, with floorboards out if a soft hull IRB, PFD's available. Please see Appendix D regarding acceptable equipment standard required for an IRB to Pass.

Clubs Must have the right foot strap removed from all IRB's and Holes filed with a marine grade sealant. Remaining straps be adjustable straps as per SLSA guidelines.

Annual Registration of Vessels

The annual registration of 'current vessels' will continue to be a part of the Gear and Equipment Inspection process.

Annual Registration Form An additional Annual Vessel Registration process has been implemented for the 2015/16 Season to allow SLSNSW to accurately assess and document all Surf Life Saving registered vessels operating in NSW, as the NSW Roads and Maritime Services require.

An Annual Registration form is attached to this document in Appendix C. This form is to be completed and returned to SLSNW with copies of the associated Vessels Surfguard Documents, by the Inspection program deadline 17th September 2015.

Note: All current vessel registration forms and procedures are to be followed as per usual.



11. IRB Motors:

Note: Please refer to the SLSA Gear and Equipment manual for a complete list of approved IRB equipment, this can be found at

http://sls.com.au/sites/sls.com.au/files/Gear%20and%20Equipment%20Manual.pdf

A. Outboard Motor

- I. The Restrictor device in all outboards motors MUST be fitted to ensure motors are operating at 25HP.
- II. As of July 2011, all newly purchased IRB Motors are delivered from the manufacturer to Clubs in a sealed condition. Clubs are to input the IRB motor seal numbers into Surfguard with all other motor details. These numbers are listed on the seal and are also noted on the motor sealing form your club receives at purchase. For further information regarding the sealing process please the SLSA document "IRB Outboard Motor Sealing Process" on their web at,
- III. https://sls.com.au/sites/sls.com.au/files/Motor%20Sealing%20Procedure.pdf
- IV. Older IRB Motors with no seals are not required to be sealed, and seal numbers are not required to be entered into Surf guard. However, please ensure the purchase date is noted on the motor's record in surf guard to avoid any confusions

B. <u>Propellers</u>

All IRB's must be operated using a 4 blade Stainless steel propeller. All 3-blade propellers are to be removed from service.

C. <u>Propellers Guards</u>

All IRB's MUST be operated using a standard (Non hydro-foiled) propeller guard. All hydro foiled propellers must be removed from service.

D. Fuel Cells

The fuel cell inlet and outlet fittings should be of machined brass. These fittings are to be suitably covered to minimize the chance of injury. If cable ties are used to secure hose fittings, then these must be cover with tape or shrink-wrap.



DO NOT PRESENT LIKE THIS!



PRESENT LIKE THIS!

12. ATV's & Trailers – not compulsory (draft – bonus points for operational equipment)


a. Essential Surfguard Information



Updating Gear and Equipment, Inspection Information on Surfguard

When All Gear & Equipment has been successfully inspected, Clubs are required to update the Inspection Status and Date of all Successfully Inspected Equipment in Surf Guard.

Please follow the steps below, identifying how to complete the required Gear and Equipment information updates on Surfguard. SLNSW requires that all Lifesaving equipment be updated into Surfguard by the 17th September – Clubs failing to meet this date will be deemed Non-Compliant and potentially may not be eligible for certain benefits.



Appendix A - Sydney Branch Gear Inspection timetable

Saturday 29 th August 2015 Waverley (am) & Randwick (pm)			
Club	Saturday		
North Bondi	BREAKFAST & 8.00 am START		
Bondi			
Tamarama			
Bronte			
Clovelly			
	LUNCH BREAK at Coogee SLSC		
Coogee			
Maroubra			
South Maroubra			

Club	Sunday
Wanda	BREAKFAST & 8.00 am START
louera	
North Cronulla	
Cronulla	11.30 am (approx.)
	LUNCH BREAK at Cronulla SLSC
ra	
arie	
Burning Palms	

Gear Inspection Committee	Gregory	Causer
	Peter	Quartly
	Christopher	Thompson
(4 LS Supervisors & 12 to be elected)	Jennifer	McNamee
	John	McNamee
Expression of Interest	Graham	Hill
	Ken	Hudson
	Kane	Hughes
	Glen	Clarke
	Peter	Carney
	Peter	Burst
Lifesaving Supervisor Randwick	Matthew	Spooner
Lifesaving Supervisor Cronulla/Sutherland	Michael	Byrne
Lifesaving Supervisor RNP	Mark	Wood

Appendix B

SLSNSW Approved Radio Communications Service Agents
A Resource for Clubs

Appendix C

SLNSW Vessel Registration Forms

Appendix D

IRB Gear Inspection Guidelines